

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	648	stor\$3 with target with address with table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 15:09
L2	5	stor\$3 with target with address with table with encrypt\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 13:11
L3	1	2002-009944.NRAN.	DERWENT	OR	ON	2005/12/15 13:11
L4	101	stor\$3 with address with table with encrypt\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 13:11
L5	2	stor\$3 with entry adj1 point with table with encrypt\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 13:13
L6	6	stor\$3 with ((entry adj1 point) (start\$3 with (address point)) entry\$1point) with table with encrypt\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 13:15
L7	15	stor\$3 with ((entry adj1 point) (start\$3 with (address point)) entry\$1point) with table same encrypt\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 13:20
L8	162	stor\$3 with ((entry adj1 point) (start\$3 with (address point)) entry\$1point) with table and encrypt\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 13:25
L9	65	stor\$3 with ((entry adj1 point) (start\$3 with (address point)) entry\$1point) with encrypt\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 13:38
L10	6	stor\$3 with (target near2 address) with encrypt\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 13:39

L11	1	stor\$3 with jump\$3 with table with encrypt\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 13:40
L12	3	stor\$3 with jump\$3 with table same encrypt\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 13:50
L13	321	stor\$3 with (entry\$1point (entry adj1 point)) with table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 15:30
L14	23	stor\$3 with (entry\$1point (entry adj1 point)) with table and (obfuscat\$3 encrypt\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 13:54
L15	2	"5495612".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 14:25
L16	11	drake-christopher-\$.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 14:31
L17	182	(entry start\$3 target) near2 address with encrypt\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 14:47
L18	0	"address is encrypted"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 14:48
L19	1569	address near2 encrypt\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 14:57
L20	18	entry adj1 point near2 encrypt\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 14:58

L21	273	entry with table with address with jump\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 15:43
L22	42	(entry\$1point (entry adj1 point)) with decrypt\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 15:45
L23	1408	(entry\$1point (entry adj1 point)) near4 table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 15:46
L24	937	(entry\$1point (entry adj1 point)) near2 table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 15:46
L25	319	(entry\$1point (entry adj1 point)) near2 table and (secur\$3 encrypt\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 15:55